How to access Arden's template/TARGET leaflet - SystmOne





How to access Arden's template/TARGET leaflet – EMIS Web







How to access Arden's template/ TARGET leaflet EMIS

Template Picker				×
Please make your selection below urin Found 6 matches for "urin"	Navigator Details			
Urine Dipstick Test Urinary Tract Infection (UTI adults) (v16.3) Urinary incontinence template (v15.2) (Arde Urinary Catheter template (v16.2) (Ardens) Urinalysis (urine dipstick) (v16.4) (Ardens) Lower Urinary Tract Symptoms in Men (v16 Search for the condition	Havigator Details Image: Construction of the service of the s			
	C	К	Can	cel





Ardens - UTI example EMIS

	contrary concentrations income	and incongations carefulling and				•	• •	
Sa Tem	ve Cancel Spell plate Template check							
	Template							
<u>SCR</u>	- 1 Documents - 26 GP2GP	3 (3) <u>Medicine Management</u> - 267 (267) <u>Lab Rep</u>	<u>orts</u> - 31 (9)					
•	New priority Workflow Items receive	d - Lab Reports, Medicine Management, GP2GP						X
\$.	Active ¥ MOUSE-TESTPATIE	IT, Mickey (Mr) Usual	02-Jul-2018 (4y 8m) Gender Male EMIS No. GP VARMA, Rajesh (Dr)	13451	e	PROXY)	œ	
»	Urinary Tract Infection (UTI a	ults) (v16.3) (Ardens)						*
	l'emplate Information	Urinalysis					^	Γ
	Condition	Urinalysis = no abnormality			No previous entry			
_	History							
ata.	Examination	If urinalysis is abnormal record findings here:				_		
ed d	Investigations (Mamon (CE)	Urine diptest for blood		~	02-Dec-2014 Urine blood t	*		
har	Investigations (vvomen<05)	Urine diptest for nitrate		~	23-Aug-2013 Urine nitrite	*		
No s	Investigations (Men<65 ye	Urine diptest for leucocytes		~	02-Dec-2014 Urine leucocy	*	_	
S P	Investigations (Men/Wome	MSU						(
ecor	Management Guidelines	An MSU is recommended in the following circums	tances:				4	
V R	Safety pet advice/self care	1. Where there is visible haematuria, or non-visibl	e haematuria on diptest					
Σ	Safety fiet advice/sell care	3. Pregnancy						
Na	Referrals	4. Wohlen who are cathetensed						
ž	Patient Resources	Ск5, 2015						1
	Add Learning	V MSU sent to lab.	A 100000 A		02-Jul-2014	*	~	C
	Latest Contacts							





Ardens - UTI example EMIS access to TARGET leaflets

em	EMIS Web Health Care System - The Colne Practice - 7064						MOUSE				
0	Summary	Consultations	Medication	Problems	Investigations	Care History	Diary	Documents	Referrals	Growth Charts	New
Sa Terr	ave cancel plate Template	ABC Spell check									
SCR	- 22 <u>Refer</u>	rals - 1 (1)	<u>GP2GP</u> - 3 (3	3) <u>Medicir</u>	ne Management	- 4 (4) Lab	Reports	-7 (1)			
•	New priority	Workflow Item	is received - L	ab Reports,	Medicine Manag	gement, GP2GF	P, Referral	S			
-	Active 💝	MOUSE-TES	STPATIENT,	Mickey (M	r)		Born Usual (02-Jul-20 GP VARM	18 (4y 9m) A, Rajesh) Gender (Dr)	Male
*	Urinary Tra	act Infection	(UTI adult	s) (v16.3)	(Ardens)						
	Template Information			Patient Resources							
	Condition			The following patient resources are available for this condition:							
-	History Examination			Patient Info - Cystitis NHS Choices - Urinary Tract Infection							
d data				TARGET (PHE) Leaflet for women with suspected uncomplicated UTI TARGET (PHE) Leaflet for adults > 65 with suspected UTI							
are	Investigation	is (Women<65		Record here that you have given a patient information leaflet							
o sh	Investigation	is (Men<65 ye		Self-he	elp advice leaflet	given	Text				
rd (N	Investigation	is (Men/Wome									
Seco	Management	t Guidelines				`					
<u>V</u> iew -> My R	Safety net a	dvice/self care				Click	patie	nt			
	Referrals					_ resol	urces	to acces	s		
	Patient Reso	urces				TARC		oflat			
	Add Learning 🗸										
	Latest Contacts	5									





Use Accurx for SMS of UKHSA leaflets (include safety netting)





TARGET: Patient Information Leaflets example – to be used during patient consultation



TREATING YOUR INFECTION – RESPIRATORY TRACT INFECTION (RTI)

NHS

Your infection	Most are better by	How to look after yourself and your family	When to get held Most are better by'				
Middle-ear infection	8 days	 Have plenty of rest. Drink enough fluids to avoid feeling thirsty. Ask your local pharmacist 	If you or your child has any of these sympton SECTON rsto a CO				
Sore throat	7-8 days		reeling thirsty. and seek medical advice urgently from NHS 1 or age of 5 has any of symptoms 1–3 go to A& E main and seek medical advice urgently from the symptoms 1–3 go to A& E main and seek medical advice urgently from the symptoms 1–3 go to A& E main and seek medical advice urgently from the symptoms 1–3 go to A& E main and seek medical advice urgently from the symptoms 1–3 go to A& E main and seek medical advice urgently from the symptoms 1–3 go to A& E main and seek medical advice urgently from the symptoms 1–3 go to A& E main and seek medical advice urgently from the symptoms 1–3 go to A& E main and seek medical advice urgently from the symptoms 1–3 go to A& E main and seek medical advice urgently from the symptoms 1–3 go to A& E main and seek medical advice urgently from the symptoms 1–3 go to A& E main and seek medical advice urgently from the symptoms 1–3 go to A& E main and seek medical advice urgently from the symptoms 1–3 go to A& E main and seek medical advice urgently from the symptoms 1–3 go to A& E main and seek medical advice urgently from the symptoms 1–3 go to A& E main and seek medical advice urgently from the symptoms 1–3 go to A& E main and seek medical advice urgently from the symptoms 1–3 go to A& E main and seek medical advice urgently from the symptoms 1–3 go to A& E main and seek medical advice urgently from the symptoms 1–3 go to A& E main and seek medical advice urgently from the symptoms 1–3 go to A& E main and seek medical advice urgently from the symptoms 1–3 go to A& E main advice urgently from the symptoms 1–3 go to A& E main advice urgently from the symptoms 1–3 go to A& E main advice urgently from the symptoms 1–3 go to A& E main advice urgently from the symptoms 1–3 go to A& E main advice urgently from the symptoms 1–3 go to A& E main advice urgently from the symptoms 1–3 go to A& E main advice urgently from the symptoms 1–3 go to A& E main advice urgently from the symptoms 1–3 go to A& E main advice urgently from the symptoms 1	and seek medical advice urgently from NHS 10211 CALLSC K100We WICH LO age of 5 has any of symptoms 1–3 go to A8 E immediately or call 999.			
Sinusitis	14-21 days	to recommend medicines to help your symptoms or	1. If your skin is very cold or has a strange colour of you de elop an unusual rash.				
Common cold	14 days	 pain (or both). Fever is a sign the body is fighting the infection and usually gets better by itself in most cases. You can use 	2. If you have new pairings of confusion or drowsiness or have slurred speech. 3. If you have difficulty breathing. Signs that suggest breathing problems can be:				
Cough or bronchitis	21 days (a cough caused by COVID-19 may differ)		 breathing quickly turning blue around the lips and the skin below Safety netting skin between or above the ribs getting sucked or pulled in with every breath. 				
Other infection:	days	 paracetamol if you or your child are uncomfortable because of a fever. Use a tissue and wash your hands with soap to help prevent spread of your infection to your family, friends and others you meet. 	 If you develop a severe headache and are sick. If you develop chest pain. If you have difficulty swallowing or are drooling. If you cough up blood. If you are passing little to no urine. If you are feeling a lot worse. Less serious signs that can usually wait until the next available appointment: 10. If you are not starting to improve a little by the time given in 'Most are better by'				
lf you thin http://www.gov.u	k you may have COV uk/coronavirus or http	ID-19 then please visit p://www.nhs.uk for the latest	 Children with middle-ear infection: if fluid is coming out of their rats or they have new deafness. Mild side effects such as grarrhea: seek medical attention if you are concerned. 				
Back-up antibiotic prescription to be colly red after days only if you are not starting to feel a little better or you feel worse transformation about							
 Colds, most coughs, Taking any antibiotic 	 Colds, most coughs, sinusitis, ear infections, sore throats, and other infections often get better without entibiotics, as your body can usually fight these antibiotics makes bacteria that live inside your body more resistant. This means that antibiotics may not work when you really need them. 						
Antibiotics can cause Find out more about	e side effects such as rasi how you can make better	hes, thrush, stomach pains, diarrhoea, r r use of antibiotics and help keep this vit	eactions to sunlight, other symptoms, or being sick if you drink alcohol with metronidazole. al treatment effective by visiting www.nhs.uk/keepantibioticsworking				

