



Hertfordshire and
West Essex Integrated
Care System



Hertfordshire and
West Essex
Integrated Care Board

Evidence Based Intervention

Tonsillectomy for tonsilloliths

Document Owner:	Dr Rachel Joyce – Medical Director
Document Author(s):	Clinical Policies Group
Version:	V1.1
Approved By:	Commissioning Committee
Date of Approval:	July 2022
Date of Review:	July 2024



Policy: Tonsillectomy for Tonsilloliths

This policy applies to tonsillectomy for tonsilloliths.

Tonsillectomy for other indications is outside of the scope of this policy.

Please refer to the national EBI programme for tonsillectomy for recurrent tonsillitis, recurrent quinsy, emergency presentations and suspected cancer. see <https://ebi.aomrc.org.uk/>.

Please refer to the local policy on obstructive sleep apnoea for tonsillectomy in obstructive sleep apnoea.

Tonsillectomy is not routinely commissioned for tonsilloliths.

Removal of the stone under local anaesthetic in the outpatient setting may be appropriate for symptomatic patients where self-care has failed. Requests for tonsillectomy for tonsilloliths will need to be via the Individual Funding requests department.

Tonsilloliths (also known as tonsil stones) are concretions stemming from a reactive foreign nidus such as exfoliated epithelium cells, keratin debris, organic debris, and bacteria. Tonsilloliths form in the tonsillar crypts (7). They can occur in up to 10% of the population and often form following recurrent episodes of tonsillitis. They most commonly occur in young adults and are not frequently seen in children (8). Patients with tonsilloliths may be asymptomatic or may present with halitosis (bad breath), sore throat, difficulty swallowing and the sensation of a foreign body in the throat (9). Diagnosis is usually made on clinical signs and symptoms (inspection).

Management and National guidelines:

There are no published guidelines on the management of tonsilloliths. Consensus as summarised on patient.info and Mayo clinic website describes:

Good dental hygiene helps to prevent tonsil stones. Teeth should be brushed twice a day as advised by the patient's dentist, including the spaces in between them, to stop any debris accumulating. A tongue scraper may keep the tongue clear of any bacteria which might contribute to a stone forming. Regular gargling with a mouthwash or saltwater solution may also help. Smoking and alcohol should be avoided as they may make tonsilloliths more likely to build up.

Treatment is not necessarily needed if there are no symptoms. If there are symptoms, options for tonsil stone self-management include:

- Regular gargling (then spitting out) with mouthwash or a saltwater solution. This may dislodge the stones.
- When stones form, the patient can remove them either by gently pressing them out with a cotton swab or the back of a toothbrush, or by washing them out with a low-pressure water irrigator. This device can be used to aim a gentle stream of water at the tonsil craters and rinse out debris that may be caught in them.

Patients who are not eligible for treatment under this policy may be considered on an individual basis where their GP or consultant believes exceptional circumstances exist that warrant deviation from the rule of this policy. Individual cases will be reviewed as per the ICB policy.




Change History:

Version	Date	Reviewer(s)	Revision Description
V1.1	November 2023	M Skerry	Removal of inactive web link

DOCUMENT CONTROL

This is a controlled document. Whilst this document may be printed, the electronic version posted on the intranet is the controlled copy. Any printed copies of this document are not controlled. As a controlled document, this document should not be saved onto local or network drives but should always be accessed from the website.

 *Do you really need to print this document?*

Please consider the environment before you print this document and where copies should be printed double-sided. Please also consider setting the Page Range in the Print properties, when relevant to do so, to avoid printing the policy in its entirety.

