



Evidence Based Intervention

Scar Revision

July 2022 v1.0

Document Owner:	Dr Rachel Joyce – Medical Director	
Document Author(s):	Clinical Policies Group	
Version:	V1.0	
Approved By:	Commissioning Committee	
Date of Approval:	July 2022	
Date of Review:	July 2024	

Policy: Scar Revision

1. Introduction

A scar is a mark that is left on the skin, after a wound or an injury to the surface of the skin has healed. Scarring on the skin is a natural process that can occur after a cut or injury, for example after a surgical procedure or burns. Scars form when collagen accumulates around the site of the wound or injury to heal the site. Scars are permanent but can fade over the proceeding 2 years. Treatment such as surgical revision or refashioning can be performed to minimise the appearance of the scars.

2. Content

Scar revision or refashioning is not routinely commissioned except for adults and children with:

- Scars that interfere with function for example, severe post-surgical scars or those following burns or trauma resulting in physical disability due to contraction, tethering or recurrent breakdown (i.e. not cosmetic);
- Serious scarring of the face, including:
 - Significant keloid scarring
 - Scars that are ragged, or can otherwise be regarded as particularly disfiguring.

OR

- Keloid scars that result in physical distress due to significant pain or pruritis.
- All requests for funding will need to be supported by photographic evidence.
- Scar revision will only be offered after 2 years to allow the natural healing process to complete.

Cosmetic scar revision for scars not on the face, including keloid scars, will not be funded unless the disfigurement can be regarded as particularly grave. Cases will be assessed on an individual basis via Individual Funding Request.

Keloid scars secondary to body piercing procedures will not normally be funded.

Where scars meet the criteria above and are the result of self-harm, treatment will only be funded when there has been a minimum period of three years where there has been no self-harm and where there is a supporting report from a psychiatrist or psychologist indicating that the behaviour would be unlikely to recur. It should be notes that these scars are very difficult to treat and usually the only achievable outcome is to make the scars resemble trauma or burns rather than be obviously due to self-harm.

Patients who are not eligible for treatment under this policy may be considered on an individual basis where their GP or consultant believes exceptional circumstances exist that warrant deviation from the rule of this policy. Individual cases will be reviewed as per the ICB policy.

Change History:

Version	Date	Reviewer(s)	Revision Description

DOCUMENT CONTROL

This is a controlled document. Whilst this document may be printed, the electronic version posted on the intranet is the controlled copy. Any printed copies of this document are not controlled. As a controlled document, this document should not be saved onto local or network drives but should always be accessed from the website.

Do you really need to print this document?

Please consider the environment before you print this document and where copies should be printed double-sided. Please also consider setting the Page Range in the Print properties, when relevant to do so, to avoid printing the policy in its entirety.